



Boa Tape

Distributed in Canada by:

POWER PLANT SUPPLY CO

contacts: <http://www.powerplantsupplyco.com/contacts.php>

902 435 9899 - 416 752 33339

atlantic@powerplantsupplyco.com

<http://www.powerplantsupplyco.com>

BOA-TAPE™ MATERIAL SAFETY DATA SHEET (MSDS)

Provided by:
Pipeline Seal & Insulator Inc.
6525 Goforth Street
Houston, TX 77021
Phone: 800-423-2410

This form is designed to meet the requirements of the U.S. Labor Department OSHA form no. 174.

SECTION I - PRODUCT IDENTIFICATION

Product: Boa-Tape™
Producer: Pipeline Seal & Insulator, Inc.

24 Hour Emergency Assist: Chemtrec Telephone: 800-424-9300

HMIS/NFPA HAZARD RATINGS:

Health Hazard: 0

Hazard: 1

Reactivity Hazard: 0

Chemical Name: N/A
Chemical Family: Polyolefin and Synthetic Elastomer
Formula: N/A

SECTION II - HAZARDOUS COMPONENTS

None

SECTION III - PHYSICAL DATA

Boiling Point Range: N/A **Percent Volatile by Weight:** N/A
Vapor Pressure: N/A **Evaporation Rate:** N/A
Vapor Density: N/A **Appearance and Odor:** Black tape w/ woven backing
Solubility in Water: Insoluble
Specific Gravity: 1.04 (adhesive)

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point and Method: 450°F COC
Flammable Limits: N/A

http://www.powerplantsupplyco.com/products.php?prod_id=118

Extinguishing Media: Carbon dioxide, dry chemical, foam, water fog, and water spray
Special Fire Fighting Procedures: Use water spray to cool fire exposed surfaces and to protect personnel.

Unusual Fire and Explosion Hazards: None

SECTION V - HEALTH HAZARD DATA

Permissible Exposure Level: NA

Effects of Overexposure:

- Eyes: N/A
- Ingestion: Acute oral LD50 is greater than 10 g/kg
- Inhalation: N/A
- Skin: N/A

Emergency and First Aid Procedures:

- Eyes: Flush eyes with water.
- Ingestion: Contact a physician
- Inhalation: N/A
- Skin: Remove with waterless hand cleaner. Wash with soap and water.

Medical Conditions generally aggravated by exposure: N/A

Primary Routes of Entry:

- Eyes: None
- Ingestion: Not a normal exposure
- Inhalation: None
- Skin: None

Chemicals contained herein listed as carcinogens or potential carcinogens:

NTP: NONE IARC: NONE OSHA: NONE

SECTION VI - REACTIVITY DATA

Stability: Stable

Conditions to Avoid: Overheating

Incompatibility (Material to Avoid): Avoid contact with strong oxidizing agents.

Hazardous Decomposition Products: None

Hazardous Polymerization: Will not occur.

SECTION VII - SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled: Sweep up

Waste disposal method: Dispose of in accordance with Federal, State, and local regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory Protection: N/A **Eye Protection:** Chemical goggles (primer)

Ventilation: N/A **Protective Gloves:** N/A

SECTION IX - SPECIAL PRECAUTIONS

Precautions to be taken in handling and storing: Do not store near flame, heat or strong oxidizing agents.

SECTION X - NOTES

Note: N/A = not applicable N/E = not established

Issue Date: May 30, 1990 Issued By: J. Blitstein (KK)

Revision Date: June 21, 1996 Review Date: 3 Nov 2009 D. Kathrein

Information herein is given in good faith and is, to the best of our knowledge and belief, accurate and reliable. However, since information herein was obtained, in part, from independent suppliers not under the direction and supervision of Pipeline Seal & Insulator, Inc., Pipeline Seal & Insulator, Inc. makes no warranty or representation, express or implied, that the information is accurate, reliable, complete or representative. Pipeline Seal & Insulator, Inc. warrants only that it has made no effort to censor other than trade secret information or to conceal deleterious aspects of its products. The data shown above in no way modifies, amends, or enlarges any specification or warranty.

All components of this product are listed in the EPA/TSCA Inventory of Chemical Substances.